

Prepared for:

Hobgood Hemp

106 N Pine Street PO Box 160
Hobgood, NC USA 27843

600 MG Master

Batch ID or Lot Number: T60061324	Test: Potency	Reported: 20Jun2024	USDA License: N/A
Matrix: Concentrate	Test ID: T000284187	Started: 18Jun2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 17Jun2024	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.004	0.015	0.080	0.80	
Cannabichromenic Acid (CBCA)	0.004	0.013	ND	ND	
Cannabidiol (CBD)	0.015	0.041	1.980	19.80	
Cannabidiolic Acid (CBDA)	0.015	0.042	0.090	0.90	
Cannabidivarin (CBDV)	0.003	0.010	0.020	0.20	
Cannabidivarinic Acid (CBDVA)	0.006	0.017	ND	ND	
Cannabigerol (CBG)	0.002	0.008	0.060	0.60	
Cannabigerolic Acid (CBGA)	0.010	0.035	ND	ND	
Cannabinol (CBN)	0.003	0.011	0.070	0.70	
Cannabinolic Acid (CBNA)	0.007	0.024	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.012	0.041	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.011	0.037	0.120	1.20	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.010	0.033	ND	ND	
Tetrahydrocannabivarin (THCV)	0.002	0.008	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.009	0.029	ND	ND	
Total Cannabinoids			2.420	24.20	
Total Potential THC			0.120	1.20	
Total Potential CBD			2.059	20.59	

Final Approval



Sam Smith
20Jun2024
11:10:00 AM MDT

PREPARED BY / DATE



Karen Winternheimer
20Jun2024
11:14:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/b58bb5fa-8bc4-4cd1-b394-314b27b223a2>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
b58bb5fa8bc44cd1b394314b27b223a2.1